LABORATORY TESTING HEAVY METALS ANALYSIS



Project Information

Project Name	TTII TRU-PLAY 57 COLORED EPDM INFILL Infill Heavy Metals Analysis F3188			Job no.	91365/1459	
Client Information	Target Technologies International Inc. 8535 Eastlake Drive Burnaby, BC V5A 4T7					
Date of Report	August 29, 2016	Sample Arrival		8/18/2016		
Report Status	Final					
Prepared by	Jeffrey Gentile Laboratory Director		Music			
Checked by	Kieran O'Donnell Field Operation Manager					

Notes:

- 1. This report has been prepared by Sports Labs USA with all reasonable skill, care and diligence within the terms of the contract with the Client and within the limitations of the resources devoted to it.
- 2. This report is confidential to the Client and Sports Labs USA accepts no responsibility whatsoever to third parties to whom this report, or any part thereof, is made known. Any such party relies upon the report at their own risk.
- 3. This report shall not be used for engineering or contractual purposes unless signed by the Author and the Checker and unless the report status is "Final."

Standard / Regulation:

ASTM F3188-16, Standard Specification for Extractable Hazardous Metals in Synthetic Turf Infill Materials

Requirements:

This specification relates to the amount of certain metals that have the potential to be extracted from synthetic turf infill materials if ingested. The time, temperature, and pH of the extraction fluid approximate the conditions the infill material would experience in the stomach during the digestive process. The levels of extractable metals are compared to maximum levels allowed in children's toys.

This specification applies to all materials (man-made or natural) that are intended for use as infill materials for synthetic turf sports surfaces. The material tested was a tan colored EPDM.

Results:

All results were found to be below the limit criteria referenced above.

INFORMATION, ADVICE & KNOW-HOW: FROM THE SYNTHETIC SPORTS SURFACE EXPERTS













LABORATORY TESTING HEAVY METALS ANALYSIS



Results Table:

Analyte	Analytical Method	*Suggested Concentration Limit (mg/kg)	Sample Result (mg/kg)	PASS / FAIL
Antimony	ASTM F3188	60	< 5	PASS
Arsenic	ASTM F3188	25	< 2.5	PASS
Barium	ASTM F3188	1000	< 10	PASS
Cadmium	ASTM F3188	75	< 5	PASS
Chromium	ASTM F3188	60	< 5	PASS
Lead	ASTM F3188	90	< 5	PASS
Mercury	ASTM F3188	60	< 5	PASS
Selenium	ASTM F3188	500	< 10	PASS

^{*}The suggested concentration limits shown are based on screening levels per ASTM F3188-16 Migration of Certain Elements. These limit have been included for reference and are not project specific.

End of Report

INFORMATION, ADVICE & KNOW-HOW: FROM THE SYNTHETIC SPORTS SURFACE EXPERTS











